


ALWAYS THE BEST PROTECTION PROFILES



M.P.M. s.r.l.
Via Europa 2
35010 Fratte
di S. Giustina in Colle
Padova · Italy

T +39 049 9301773
F +39 049 9300427
info@mpmpvc.com
mpmprotections.com



Safeway360

www.safeway360.com

Safeway360



SAFETY ENGINEERING
FOR A SAFE WORK

Safeway360

SEGURIDAD GLOBAL

Exterior & Interior

Protección de personas



Protección de activos y bienes



Señalización temporal y definitiva



Delimitaciones de zonas de trabajo



Diseño y soluciones a medida



ESTUDIO Y PROYECTO



PRODUCTO E INSTALACIÓN



POSTVENTA Y MANTENIMIENTO



PRESENTS **NEW MATERIAL**




CONTENTS



page 02


01	Rack Protection	page 08	08	BFlex	page 50
02	Bollard	page 16	09	Column Protection	page 58
03	Guard Rails	page 20	10	Loading Bays Protections	page 64
04	Cold Line	page 26	11	Corner Protection	page 66
05	Pedestrian Safety Barriers	page 32	12	Kerb	page 68
06	Doors	page 38	13	Wall Protection	page 72
07	Link	page 44			

OUR PENDULUM MACHINE FOR CRASH REPORTS



RESEARCH AND DEVELOPMENT

CUSTOMISED PROJECT MANAGEMENT SERVICE










FIRE CLASS V0,
SELF-EXTINGUISHING,
NON-FLAME SPREAD
MATERIAL

FOR FLEXIBLE BARRIER

PROTECTION ARE THE BEST CHOICE IN COMPARISON TO METAL OR OTHER MATERIALS

	 	METAL 	PE/PP 	WOOD 
EASY CLEANING	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	○ ○ ○ ○ ○
SCRATCHES	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ○ ○ ○ ○
FLEXIBILITY	● ● ● ● ●	● ○ ○ ○ ○	● ● ● ● ●	● ● ○ ○ ○
SHOCK ABSORBER	● ● ● ● ●	○ ○ ○ ○ ○	● ● ● ● ●	● ● ○ ○ ○
FAST INSTALLATION	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●
SAVE SPACE	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●
FIRE RESISTANT	● ● ● ● ●	● ● ● ● ●	○ ○ ○ ○ ○	○ ○ ○ ○ ○
LONG LASTING	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ○ ○ ○

RESEARCH AND DEVELOPMENT NEVER STOP!

ORANGE LINE

NEWS

AVAILABLE FOR:
LM / PED 150 /
TOWER



HIGHER
VISIBILITY
FOR A GREATER
SAFETY!


RESEARCH AND DEVELOPMENT NEVER STOP!

CLIP 90

NEWS

AVAILABLE FOR:
LM / PED 150 /
TOWER

GENIUS 
THE LENGTH THAT YOU WISH



CUT THE RAIL AND DRILL IT WITH GENIUS 



WORLD'S UNIQUE SYSTEM!
YOUR CUSTOMIZED BARRIER AND HUG TOWER



EASY TO
INSTALL



CUSTOMIZE
YOUR BARRIER



MORE
VISIBILITY



SOME OF OUR REFERENCES



THE WORLD'S TOP **LOGISTICS**
PROFESSIONALS CHOOSE OUR
QUALITY MADE IN ITALY



DB SCHENKER



amazon



Coca-Cola
Refreshments



FCA
FIAT CHRYSLER AUTOMOBILES



GARNIER

DSV
Global Transport and Logistics



SIEMENS



Colgate



OUR INSTALLATION



OUR INSTALLATION



MPM states that:

The safety coefficient and consequent use of the product requires preliminary screening by a designer who will necessarily have to take account of the actual installation conditions, considering that instructions contained in catalogues, orders, transport documents, invoices or any other documentation showing the product characteristics, should not be considered suitable to compensate for any lack of design or technical testing required for installation of the product.

In any case, it is necessary to comply with the appropriate assembling and installation instructions as defined in the technical catalogue on corporate websites (www.mpmprotections.com). MPM will accept no liability for the use of profiles in situations that have not been preceded by the above-mentioned checks.

Impact forces indicated in the brochure, or in other documents, refer to laboratory tests and cannot take account for consequences determined by installation modes or peculiarities of the place where the products are installed (in an operational environment vehicle type, speed and mass, routes, angles of impact, ground and anchorage are variable and uncontrolled conditions that no test can replicate); the data refers to an intact product that can be affected by alterations from incorrect maintenance and old age, as well as the methods and characteristics of installation (with specific reference to floor-mounted products like the latter); the weight, dimensions, colours and characteristics of the material refer to the sample and the conformity with the latter of the product supplied will be subject to normal production tolerance. The product may be affected by environmental installation conditions.

Protections performances can be affected in environments with temperatures below 0°C or higher than 50°C.

The fastness of the colour and its brightness depend on wear and tear and climatic conditions that can affect its intensity over time.

Images in the brochure are for advertising purposes only and do not in any way represent how the products should be used.

Full version of MPM product warranty available in the technical catalogue on corporate websites (www.mpmprotections.com).

