


# ALWAYS THE BEST PROTECTION PROFILES



M.P.M. s.r.l.  
Via Europa 2  
35010 Fratte  
di S. Giustina in Colle  
Padova · Italy  
T +39 049 9301773  
F +39 049 9300427  
info@mpmpvc.com  
mpmprotections.com





SAFETY ENGINEERING  
FOR A SAFE WORK

Safeway360

SEGURIDAD GLOBAL

# Exterior & Interior

Protección de personas



Protección de activos y bienes



Señalización temporal y definitiva



Delimitaciones de zonas de trabajo



Diseño y soluciones a medida



ESTUDIO Y PROYECTO



PRODUCTO E INSTALACIÓN



POSTVENTA Y MANTENIMIENTO

# 04


## COLD LINE

Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.

Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa. Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative. Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa. Son ideales para proteger esquinas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.




RESISTANT  
TO LOW  
TEMPERATURES



# ROD 70



**RE**  
EASY TO  
REMOVE AND  
TO REPLACE




M20  
GALVANISED STEEL

# ROD 120



**RE**  
EASY TO  
REMOVE AND  
TO REPLACE




M30  
GALVANISED STEEL

Fixing accessory available also in stainless steel



ROD PE 70 266 RE

Packing Colour **C**  
1 pz / box




Drill Ø 38  
Equipped with accessories

Fixing accessory available also in stainless steel



ROD PE 120 433 RE  
560 RE

Packing Colour **M**  
1 pz / bag



Drill Ø 56  
Equipped with accessories




# ROD FLOOR 70




QUICK INSTALLATION WITH EXPANSION SCREW



M16 GALVANISED STEEL




RESISTANT TO LOW TEMPERATURES




RF 70 500  
1000  
1500

Length 500 / 1000 / 1500 mm  
Packing unpacked on pallet  
Colour M




Equipped with accessories




RF 70 2000  
3000

Length 2.000 / 3.000 mm  
Packing unpacked on pallet  
Colour M



Equipped with accessories





# ROD FLOOR 120




HIGH RESISTANCE WITH RESIN



M20 STAINLESS STEEL




RESISTANT TO LOW TEMPERATURES



RF 120 500  
1000  
1500

Length 500 / 1000 / 1500 mm  
Packing unpacked on pallet  
Colour M




Equipped with accessories



RF 120 2000  
3000

Length 2.000 / 3.000 mm  
Packing unpacked on pallet  
Colour M



Equipped with accessories

